



SUMMARY REPORTS

MAINE

2011 MIYHS KINDERGARTEN AND 3RD GRADE REPORT

2011 MAINE INTEGRATED YOUTH HEALTH SURVEY
K/3 Summary Report (weighted)

<i>What language is spoken most often at home? (kn5)</i>				
<i>Percentage of parents who answered something other than 'English'</i>				
State Average:	Total		Female	Male
	1.0%		1.1%	0.9%
By Grade:		Kindergarten		3rd
		1.1%		0.7%
By Gender, Within Grade:	Female, K		Male, K	Female, 3rd
	1.9%		0.4%	0.0%
				Male, 3rd
				1.4%

<i>How would you describe your child's health status? (kn6)</i>				
<i>Percentage of parents who answered 'Excellent', 'Very good' or 'Good'</i>				
State Average:	Total		Female	Male
	98.5%		98.3%	98.6%
By Grade:		Kindergarten		3rd
		97.6%		99.4%
By Gender, Within Grade:	Female, K		Male, K	Female, 3rd
	97.3%		97.8%	99.3%
				Male, 3rd
				99.3%

<i>Has a doctor or nurse ever told you that your child has diabetes? (kn7)</i>				
<i>Percentage of parents who answered 'Yes'</i>				
State Average:	Total		Female	Male
	0.4%		0.7%	0.1%
By Grade:		Kindergarten		3rd
		0.8%		0.0%
By Gender, Within Grade:	Female, K		Male, K	Female, 3rd
	1.3%		0.3%	0.0%
				Male, 3rd
				0.0%

Note: Due to missing data, the average of demographic categories may not equal the overall total.

**2011 MAINE INTEGRATED YOUTH HEALTH SURVEY
K/3 Summary Report (weighted)**

*Has a doctor or nurse ever told you that your child has asthma? (kn8)
Percentage of parents who answered 'Yes'*

State Average:	Total 12.9%	Female 9.6%	Male 15.9%
By Grade:	Kindergarten 12.5%		3rd 13.3%
By Gender, Within Grade:	Female, K 10.4%	Male, K 14.6%	Female, 3rd 8.6% Male, 3rd 17.4%

Does your child still have asthma? (kn9)

Among parents who reported their child had asthma in kn8, percentage of parents who answered 'Yes'

State Average:	Total 65.0%	Female 64.4%	Male 64.8%
By Grade:	Kindergarten 73.4%		3rd 56.8%
By Gender, Within Grade:	Female, K 73.6%	Male, K 73.3%	Female, 3rd 51.4% Male, 3rd 57.7%

*Symptoms of asthma include coughing, wheezing, shortness of breath, chest tightness or phlegm production when your child does not have a cold or respiratory infection. During the past 30 days, how many days did your child have any symptoms of asthma? (kn10)
Among parents who reported their child had asthma in kn8, percentage of parents who answered at least 1 day*

State Average:	Total 44.3%	Female 52.9%	Male 37.7%
By Grade:	Kindergarten 51.6%		3rd 37.6%
By Gender, Within Grade:	Female, K 70.5%	Male, K 38.5%	Female, 3rd 32.8% Male, 3rd 37.0%

2011 MAINE INTEGRATED YOUTH HEALTH SURVEY
K/3 Summary Report (weighted)

During the past 30 days, on how many days did his or her asthma make it difficult for your child to stay asleep? (kn11)
Among parents who reported their child had asthma in kn8, percentage of parents who answered at least 1 day

State Average:	Total	Female	Male
	23.7%	28.9%	21.5%
By Grade:	Kindergarten		3rd
	34.2%		13.9%
By Gender, Within Grade:	Female, K	Male, K	Female, 3rd
	39.2%	30.7%	16.3%
			Male, 3rd
			13.7%

During the past 12 months, how much did your child limit his or her usual activities due to asthma? (kn52)
Among parents who reported their child had asthma in kn8, percentage of parents who answered 'One or more times per week' or 'Almost daily'

State Average:	Total	Female	Male
	8.6%	11.7%	7.2%
By Grade:	Kindergarten		3rd
	11.1%		6.3%
By Gender, Within Grade:	Female, K	Male, K	Female, 3rd
	16.1%	7.8%	6.6%
			Male, 3rd
			6.6%

During the past 12 months, about how many days of school did your child miss because of his or her asthma? (kn13)
Among parents who reported their child had asthma in kn8, percentage of parents who answered 'One or more times per week' or 'Almost daily'

State Average:	Total	Female	Male
	2.9%	2.0%	3.5%
By Grade:	Kindergarten		3rd
	5.8%		0.1%
By Gender, Within Grade:	Female, K	Male, K	Female, 3rd
	3.6%	7.3%	0.0%
			Male, 3rd
			0.2%

**2011 MAINE INTEGRATED YOUTH HEALTH SURVEY
K/3 Summary Report (weighted)**

*Has a doctor, nurse, or asthma educator ever taught you what to do when your child has an asthma episode or attack? (kn14)
Among parents who reported their child had asthma in kn8, percentage of parents who answered 'Yes'*

State Average:	Total 83.8%	Female 80.6%	Male 85.8%
By Grade:	Kindergarten 83.2%		3rd 84.3%
By Gender, Within Grade:	Female, K 81.6%	Male, K 84.3%	Female, 3rd 78.6% Male, 3rd 87.0%

*An asthma management plan is a printed form that tells when to change the amount or type of medicine, when to call the doctor for advice, and when to go to the emergency room. Has a doctor, nurse, or asthma educator ever given you an asthma management plan for your child? (kn15)
Among parents who reported their child had asthma in kn8, percentage of parents who answered 'Yes'*

State Average:	Total 57.3%	Female 54.9%	Male 57.9%
By Grade:	Kindergarten 58.1%		3rd 57.3%
By Gender, Within Grade:	Female, K 58.9%	Male, K 57.5%	Female, 3rd 52.2% Male, 3rd 58.3%

*Have you ever take a course or class on how to manage your child's asthma? (kn16)
Among parents who reported their child had asthma in kn8, percentage of parents who answered 'Yes'*

State Average:	Total 15.1%	Female 8.7%	Male 17.2%
By Grade:	Kindergarten 15.5%		3rd 14.8%
By Gender, Within Grade:	Female, K 9.8%	Male, K 19.5%	Female, 3rd 7.7% Male, 3rd 15.2%

2011 MAINE INTEGRATED YOUTH HEALTH SURVEY
K/3 Summary Report (weighted)

Does your child currently have autism, PDD-NOS, Asperger's Disorder, or atypical autism? (kn17)
Percentage of parents who answered 'Yes'

State Average:	Total 2.4%	Female 1.5%	Male 3.2%
By Grade:	Kindergarten 1.9%		3rd 2.8%
By Gender, Within Grade:	Female, K 0.8%	Male, K 3.0%	Female, 3rd 2.2% Male, 3rd 3.5%

Does your child receive special education services for autism, PDD-NOS, Asperger's Disorder, or atypical autism at school? (kn18)
Among parents who reported their child has some form of autism in kn17, percentage of parents who answered 'Yes'

State Average:	Total 75.7%	Female 42.0%	Male 87.1%
By Grade:	Kindergarten 80.4%		3rd 73.0%
By Gender, Within Grade:	Female, K 5.0%	Male, K 100.0%	Female, 3rd 57.8% Male, 3rd 78.9%

What kind of health care coverage does your child have? (Modified, kn53a-kn53e)
Percentage of parents who answered 'No health insurance'

State Average:	Total 3.4%	Female 3.3%	Male 3.5%
By Grade:	Kindergarten 3.2%		3rd 3.8%
By Gender, Within Grade:	Female, K 3.4%	Male, K 2.6%	Female, 3rd 3.2% Male, 3rd 4.5%

**2011 MAINE INTEGRATED YOUTH HEALTH SURVEY
K/3 Summary Report (weighted)**

*When did your child last visit the dentist for preventive dental care such as check-ups and dental cleanings? Include dental hygienists as well as all types of dentists.
(kn54)*

Percentage of parents who answered '12 months or less'

State Average:	Total 89.1%	Female 89.9%	Male 88.1%
By Grade:	Kindergarten 85.9%		3rd 92.5%
By Gender, Within Grade:	Female, K 87.6%	Male, K 84.2%	Female, 3rd 92.2% Male, 3rd 92.7%

*During the past 12 months, has your child been treated for a dental condition such as toothache, decayed teeth or cavities, broken teeth, or bleeding gums? Do not
include visits to an orthodontist for braces. (kn55)*

Percentage of parents who answered 'Yes'

State Average:	Total 21.1%	Female 16.3%	Male 25.4%
By Grade:	Kindergarten 17.0%		3rd 25.4%
By Gender, Within Grade:	Female, K 11.6%	Male, K 21.9%	Female, 3rd 21.4% Male, 3rd 29.0%

During the past 12 months, was there a time when your child needed dental care but could not get it at that time? (kn22)

Percentage of parents who answered 'Yes'

State Average:	Total 6.2%	Female 6.0%	Male 6.2%
By Grade:	Kindergarten 5.7%		3rd 6.3%
By Gender, Within Grade:	Female, K 4.4%	Male, K 7.0%	Female, 3rd 7.4% Male, 3rd 4.8%

**2011 MAINE INTEGRATED YOUTH HEALTH SURVEY
K/3 Summary Report (weighted)**

Do you have any kind of insurance that pays for some or all of your child's DENTAL CARE? Include health insurance obtained through work or purchased directly, as well as government programs like MaineCare. (Modified, kn56a-kn56f)

Percentage of parents who answered that they have insurance that pays for some or all of their child's dental care

State Average:	Total 86.9%	Female 86.9%	Male 86.7%
By Grade:	Kindergarten 86.8%		3rd 87.0%
By Gender, Within Grade:	Female, K 86.2%	Male, K 87.5%	Female, 3rd 87.5% Male, 3rd 85.8%

Has your child ever had dental sealants placed on his or her teeth at either your dental office or through a school program? Sealants are a clear or white material placed on the chewing surface of teeth to prevent cavities. (Modified, kn57a-kn57d)

Percentage of parents who answered 'Yes' (at a dental office and/or through a school program)

State Average:	Total 49.6%	Female 52.4%	Male 46.7%
By Grade:	Kindergarten 30.8%		3rd 68.5%
By Gender, Within Grade:	Female, K 31.8%	Male, K 29.8%	Female, 3rd 73.6% Male, 3rd 64.1%

During the past 3 months, how many days of school has your child missed because of dental problems? Do not include routine dental/orthodontist visits. (kn58)

Percentage of parents who answered at least 1 day

State Average:	Total 2.8%	Female 2.2%	Male 3.3%
By Grade:	Kindergarten 3.0%		3rd 2.5%
By Gender, Within Grade:	Female, K 1.2%	Male, K 4.7%	Female, 3rd 2.9% Male, 3rd 1.9%

**2011 MAINE INTEGRATED YOUTH HEALTH SURVEY
K/3 Summary Report (weighted)**

<i>When your child is outside for more than one hour on a sunny summer day, how often does he or she wear sunscreen with an SPF of 15 or higher? (kn27)</i> <i>Percentage of parents who answered 'Most of the time' or 'Always'</i>				
State Average:	Total	Female	Male	
	83.6%	87.4%	80.4%	
By Grade:	Kindergarten		3rd	
	84.7%		82.5%	
By Gender, Within Grade:	Female, K	Male, K	Female, 3rd	Male, 3rd
	88.2%	81.4%	86.7%	79.3%

<i>On a sunny summer day, when your child is outside for more than 15 minutes between 11 a.m. and 3 p.m., how often does he or she do one of the following: stay in the shade, wear clothes covering most of his or her arms and legs, or wear a hat? (kn28)</i> <i>Percentage of parents who answered 'Most of the time' or 'Always'</i>				
State Average:	Total	Female	Male	
	40.0%	39.2%	40.7%	
By Grade:	Kindergarten		3rd	
	45.6%		33.9%	
By Gender, Within Grade:	Female, K	Male, K	Female, 3rd	Male, 3rd
	44.1%	46.9%	33.5%	34.0%

<i>During the past 12 months, has your child had any sunburns? A sunburn is any reddening or burn of the skin that lasts until the next day. (kn29)</i> <i>Percentage of parents who answered 'Yes'</i>				
State Average:	Total	Female	Male	
	26.2%	29.1%	23.7%	
By Grade:	Kindergarten		3rd	
	21.1%		31.7%	
By Gender, Within Grade:	Female, K	Male, K	Female, 3rd	Male, 3rd
	22.4%	19.8%	36.4%	27.6%

Note: Due to missing data, the average of demographic categories may not equal the overall total.

2011 MAINE INTEGRATED YOUTH HEALTH SURVEY
K/3 Summary Report (weighted)

How many people living in the same household as your child smoke cigarettes, cigars, or pipes inside the house? (kn30)
Percentage of parents who answered at least 1 person

State Average:	Total 7.6%	Female 6.5%	Male 8.6%
By Grade:	Kindergarten 8.9%		3rd 6.2%
By Gender, Within Grade:	Female, K 7.6%	Male, K 10.2%	Female, 3rd 5.4% Male, 3rd 6.6%

How often does your child ride in a booster car seat? (Modified, kn31a)
Percentage of parents who answered 'Never' or 'Rarely'

State Average:	Total 36.3%	Female 33.6%	Male 38.1%
By Grade:	Kindergarten 4.0%		3rd 69.3%
By Gender, Within Grade:	Female, K 3.3%	Male, K 4.6%	Female, 3rd 65.0% Male, 3rd 73.2%

When your child rides in a car, truck, or van, how often does he or she sit in the backseat? (kn32)
Among those who have a backseat available, percentage of parents who answered 'Never sits in the backseat' or 'Sometimes sits in the backseat'

State Average:	Total 5.7%	Female 4.5%	Male 6.8%
By Grade:	Kindergarten 2.7%		3rd 8.7%
By Gender, Within Grade:	Female, K 1.8%	Male, K 3.5%	Female, 3rd 7.3% Male, 3rd 10.0%

2011 MAINE INTEGRATED YOUTH HEALTH SURVEY
K/3 Summary Report (weighted)

How often does your child ride with teenage drivers, such as older brothers or sisters, relatives, or older friends? (Modified, kn33a)
Percentage of parents who answered 'Most of the time' or 'Always'

State Average:	Total	Female	Male
	0.1%	0.0%	0.3%
By Grade:	Kindergarten	3rd	
	0.3%	0.0%	
By Gender, Within Grade:	Female, K	Male, K	Female, 3rd
	0.0%	0.5%	0.0%
			Male, 3rd
			0.0%

How often does your child wear a helmet when riding a bike? (Modified, kn34a)
Among those whose child rides a bike, percentage of parents who answered 'Never' or 'Rarely'

State Average:	Total	Female	Male
	7.8%	6.9%	8.5%
By Grade:	Kindergarten	3rd	
	8.6%	6.9%	
By Gender, Within Grade:	Female, K	Male, K	Female, 3rd
	7.0%	10.1%	6.8%
			Male, 3rd
			6.6%

During the past 7 days, how many times did your child drink 100% fruit juices such as orange juice, apple juice or grape juice? Do not count punch, Kool-Aid, sports drinks, or other fruit-flavored drinks. (kn35a)
Percentage of parents who answered at least once in the past week

State Average:	Total	Female	Male
	86.5%	85.1%	87.8%
By Grade:	Kindergarten	3rd	
	87.8%	85.1%	
By Gender, Within Grade:	Female, K	Male, K	Female, 3rd
	86.5%	88.8%	83.3%
			Male, 3rd
			86.6%

**2011 MAINE INTEGRATED YOUTH HEALTH SURVEY
K/3 Summary Report (weighted)**

*During the past 7 days, how many times did your child eat fruit? Do not count fruit juice. (kn36a)
Percentage of parents who answered at least once in the past week*

State Average:	Total 98.1%	Female 98.6%	Male 97.6%
By Grade:	Kindergarten 98.0%		3rd 98.2%
By Gender, Within Grade:	Female, K 98.3%	Male, K 97.7%	Female, 3rd 98.9% Male, 3rd 97.5%

*During the past 7 days, how many times did your child eat vegetables, such as carrots, green salad, corn, or green beans, but not including french fries or other fried potatoes? (kn37a)
Percentage of parents who answered at least once in the past week*

State Average:	Total 97.0%	Female 97.6%	Male 96.3%
By Grade:	Kindergarten 96.8%		3rd 97.1%
By Gender, Within Grade:	Female, K 98.0%	Male, K 95.6%	Female, 3rd 97.1% Male, 3rd 97.0%

*During the past 7 days, how many times did your child drink a can, bottle, or glass of soda, sports drink, energy drink, or sugar-sweetened beverage such as Gatorade, Red Bull, lemonade, sweetened tea or coffee drinks, flavored milk, Snapple, or Sunny Delight? Do not count diet soda or drinks or 100% fruit juice. (kn59)
Percentage of parents who answered at least once in the past week*

State Average:	Total 53.3%	Female 47.0%	Male 59.0%
By Grade:	Kindergarten 47.9%		3rd 58.7%
By Gender, Within Grade:	Female, K 40.0%	Male, K 55.2%	Female, 3rd 53.8% Male, 3rd 62.7%

**2011 MAINE INTEGRATED YOUTH HEALTH SURVEY
K/3 Summary Report (weighted)**

*During the past 7 days, how many glasses of milk did your child drink? Include the milk your child drank in a glass or cup, from a carton, or with cereal. Count the half-pint of milk served at school as equal to one glass. (kn39a)
Percentage of parents who answered three or more glasses per day*

State Average:	Total 28.3%	Female 26.3%	Male 30.7%
By Grade:	Kindergarten 30.1%		3rd 26.5%
By Gender, Within Grade:	Female, K 26.8%	Male, K 33.4%	Female, 3rd 26.1% Male, 3rd 27.6%

*In the last 12 months, how often did you (or other adults in your household) ever cut the size of your meals or skip meals because there wasn't enough money for food? (kn40)
Percentage of parents who answered at least once*

State Average:	Total 12.7%	Female 12.0%	Male 12.9%
By Grade:	Kindergarten 13.5%		3rd 12.0%
By Gender, Within Grade:	Female, K 12.7%	Male, K 14.2%	Female, 3rd 11.4% Male, 3rd 11.6%

*In the last 12 months, did you ever eat less than you felt you should because there wasn't enough money to buy food? (kn41)
Percentage of parents who answered at least once*

State Average:	Total 15.1%	Female 14.0%	Male 15.8%
By Grade:	Kindergarten 16.0%		3rd 14.3%
By Gender, Within Grade:	Female, K 15.3%	Male, K 16.8%	Female, 3rd 12.9% Male, 3rd 14.8%

2011 MAINE INTEGRATED YOUTH HEALTH SURVEY
K/3 Summary Report (weighted)

In the last 12 months, were you ever hungry but didn't eat because you couldn't afford enough food? (kn42)
Percentage of parents who answered at least once

State Average:	Total	Female	Male
	9.2%	8.5%	9.2%
By Grade:	Kindergarten	3rd	
	9.8%	8.7%	
By Gender, Within Grade:	Female, K	Male, K	Female, 3rd
	10.3%	9.1%	6.8%
			Male, 3rd
			9.4%

On an average school day, how many hours does your child watch TV? (kn43)
Percentage of parents who answered 3 or more hours

State Average:	Total	Female	Male
	7.4%	6.2%	8.6%
By Grade:	Kindergarten	3rd	
	9.0%	5.8%	
By Gender, Within Grade:	Female, K	Male, K	Female, 3rd
	7.6%	10.0%	4.7%
			Male, 3rd
			7.1%

On an average school day, how many hours does your child play video or computer games or use a computer for something that is not school work? Include activities such as Xbox, PlayStation, Nintendo DS, iPod touch, Facebook, and the Internet. (kn60)
Percentage of parents who answered 3 or more hours

State Average:	Total	Female	Male
	1.2%	0.6%	1.9%
By Grade:	Kindergarten	3rd	
	1.3%	1.2%	
By Gender, Within Grade:	Female, K	Male, K	Female, 3rd
	0.3%	2.2%	1.0%
			Male, 3rd
			1.5%

**2011 MAINE INTEGRATED YOUTH HEALTH SURVEY
K/3 Summary Report (weighted)**

During the past 7 days, on how many days was your child physically active for a total of at least 60 minutes per day? Add up all of the time your child spends in any physical activity that increases his or her heart rate and makes your child sweat and breathe hard some of the time. (kn61)
Percentage of parents who answered 5 or more days

State Average:	Total 73.8%	Female 71.2%	Male 76.4%
By Grade:	Kindergarten 76.6%		3rd 71.0%
By Gender, Within Grade:	Female, K 75.9%	Male, K 77.6%	Female, 3rd 66.9% Male, 3rd 75.0%

How often do you feel that your child is safe in your community or neighborhood? (kn44)
Percentage of parents who answered 'Usually' or 'Always'

State Average:	Total 96.4%	Female 95.3%	Male 97.3%
By Grade:	Kindergarten 96.1%		3rd 96.8%
By Gender, Within Grade:	Female, K 94.3%	Male, K 97.8%	Female, 3rd 96.7% Male, 3rd 96.8%

How often do you feel that your child is safe at school? (kn46)
Percentage of parents who answered 'Usually' or 'Always'

State Average:	Total 97.6%	Female 97.5%	Male 97.6%
By Grade:	Kindergarten 97.6%		3rd 97.7%
By Gender, Within Grade:	Female, K 96.5%	Male, K 98.5%	Female, 3rd 98.9% Male, 3rd 96.5%

**2011 MAINE INTEGRATED YOUTH HEALTH SURVEY
K/3 Summary Report (weighted)**

<i>KNOWT</i>				
<i>Percentage of students who were overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex) -- MEASURED HEIGHT/WEIGHT</i>				
State Average:	Total 17.0%	Female 15.7%	Male 18.2%	
By Grade:	Kindergarten 15.1%		3rd 18.7%	
By Gender, Within Grade:	Female, K 16.2%	Male, K 14.2%	Female, 3rd 15.0%	Male, 3rd 22.1%

<i>KNOBESE</i>				
<i>Percentage of students who were obese (i.e., at or above the 95th percentile for body mass index, by age and sex) -- MEASURED HEIGHT/WEIGHT</i>				
State Average:	Total 18.4%	Female 15.8%	Male 20.8%	
By Grade:	Kindergarten 23.2%		3rd 13.5%	
By Gender, Within Grade:	Female, K 18.6%	Male, K 27.4%	Female, 3rd 13.1%	Male, 3rd 13.8%

<i>KNFRUIT</i>				
<i>Percentage of students who drank 100% fruit juice and/or ate fruit two or more times per day during the past seven days</i>				
State Average:	Total 53.9%	Female 58.5%	Male 49.8%	
By Grade:	Kindergarten 56.9%		3rd 50.6%	
By Gender, Within Grade:	Female, K 64.5%	Male, K 49.7%	Female, 3rd 51.9%	Male, 3rd 49.8%

Note: Due to missing data, the average of demographic categories may not equal the overall total.

**2011 MAINE INTEGRATED YOUTH HEALTH SURVEY
K/3 Summary Report (weighted)**

<i>KNVEG</i>				
<i>Percentage of students who ate vegetables three or more times per day during the past seven days</i>				
State Average:	Total	Female	Male	
	9.8%	12.5%	7.3%	
By Grade:	Kindergarten		3rd	
	8.4%		11.2%	
By Gender, Within Grade:	Female, K	Male, K	Female, 3rd	Male, 3rd
	10.3%	6.3%	14.7%	8.5%

<i>KNFRVG</i>				
<i>Percentage of students who drank 100% fruit juice, ate fruit and/or ate vegetables five or more times per day during the past seven days</i>				
State Average:	Total	Female	Male	
	26.1%	30.1%	22.5%	
By Grade:	Kindergarten		3rd	
	27.3%		24.3%	
By Gender, Within Grade:	Female, K	Male, K	Female, 3rd	Male, 3rd
	30.6%	24.0%	28.6%	20.7%

<i>KNCARIES</i>				
<i>Presence of Decay Experience (Observed during oral health assessment)</i>				
State Average:	Total	Female	Male	
	20.0%	17.9%	22.1%	
By Grade:	Kindergarten		3rd	
	12.7%		27.2%	
By Gender, Within Grade:	Female, K	Male, K	Female, 3rd	Male, 3rd
	12.8%	12.8%	23.3%	31.4%

2011 MAINE INTEGRATED YOUTH HEALTH SURVEY
K/3 Summary Report (weighted)

<i>KNCAVIT</i>				
<i>Presence of Untreated Cavities (Observed during oral health assessment)</i>				
State Average:	Total		Female	Male
	13.7%		12.6%	14.6%
By Grade:	Kindergarten			3rd
	12.7%			14.6%
By Gender, Within Grade:	Female, K	Male, K	Female, 3rd	Male, 3rd
	11.4%	14.1%	14.0%	14.8%

<i>KNSEAL</i>				
<i>Presence of Sealants (Observed during oral health assessment)</i>				
State Average:	Total		Female	Male
	44.9%		48.3%	41.2%
By Grade:	Kindergarten			3rd
	20.6%			68.5%
By Gender, Within Grade:	Female, K	Male, K	Female, 3rd	Male, 3rd
	24.7%	17.1%	72.0%	65.0%

<i>KNTREAT</i>				
<i>Early / Urgent Dental Care Needed (Observed during oral health assessment)</i>				
State Average:	Total		Female	Male
	15.4%		14.7%	16.1%
By Grade:	Kindergarten			3rd
	15.7%			15.2%
By Gender, Within Grade:	Female, K	Male, K	Female, 3rd	Male, 3rd
	15.2%	16.4%	14.2%	15.6%

Note: Due to missing data, the average of demographic categories may not equal the overall total.